

APM32系列MCU-ARM® Cortex® - M0+

Part No.	Frequency (MHz)	FLASH (KB)	RAM (KB)	EMMC (SDRAM)	FPU	I/Os	Vmin (V)	Vmax (V)	Timer							Analog Interface							Connectivity							Package
									GTMR (16-bit)	GTMR (32-bit)	Advanced TMR (16-bit)	Basic TMR	System (24-bit)	WWDG	IWDG	RTC	ADC 12-bit Cell	ADC 12-bit channels	DAC 12-bit Cell	DAC 12-bit channels	Analog Comparator	TSC (Channels)	SPI	I ² S	I ² C	USART	CAN	SDIO	USB	
APM32F091CBT6	48	128	32	0	0	38	2	3.6	5	1	1	2	1	1	1	1	10	1	2	2	24	2	2	2	6	1	0	1	1	LQFP48
APM32F091CBU6	48	128	32	0	0	38	2	3.6	5	1	1	2	1	1	1	1	10	1	2	2	24	2	2	2	6	1	0	1	1	QFN48
APM32F091CCT6	48	256	32	0	0	38	2	3.6	5	1	1	2	1	1	1	1	10	1	2	2	24	2	2	2	6	1	0	1	1	LQFP48
APM32F091CCU6	48	256	32	0	0	38	2	3.6	5	1	1	2	1	1	1	1	10	1	2	2	24	2	2	2	6	1	0	1	1	QFN48
APM32F091RBT6	48	128	32	0	0	52	2	3.6	5	1	1	2	1	1	1	1	16	1	2	2	24	2	2	2	8	1	0	1	1	LQFP64
APM32F091RCT6	48	256	32	0	0	52	2	3.6	5	1	1	2	1	1	1	1	16	1	2	2	24	2	2	2	8	1	0	1	1	LQFP64
APM32F091VBT6	48	128	32	0	0	88	2	3.6	5	1	1	2	1	1	1	1	16	1	2	2	24	2	2	2	8	1	0	1	1	LQFP100
APM32F091VCT6	48	256	32	0	0	88	2	3.6	5	1	1	2	1	1	1	1	16	1	2	2	24	2	2	2	8	1	0	1	1	LQFP100
APM32F072VBT6	48	128	16	0	0	87	2	3.6	4	1	1	2	1	1	1	1	16	1	2	2	24	2	2	2	4	1	0	1	1	LQFP 100
APM32F072V8T6	48	64	16	0	0	87	2	3.6	4	1	1	2	1	1	1	1	16	1	2	2	24	2	2	2	4	1	0	1	1	LQFP 100
APM32F072RBT6	48	128	16	0	0	51	2	3.6	4	1	1	2	1	1	1	1	16	1	2	2	18	2	2	2	4	1	0	1	1	LQFP 64
APM32F072R8T6	48	64	16	0	0	51	2	3.6	5	1	1	2	1	1	1	1	16	1	2	2	18	2	2	2	4	1	0	1	1	LQFP 64
APM32F072CBU6	48	128	16	0	0	37	2	3.6	5	1	1	2	1	1	1	1	10	1	2	2	17	2	2	2	4	1	0	1	1	QFN 48
APM32F072C8U6	48	64	16	0	0	37	2	3.6	5	1	1	2	1	1	1	1	10	1	2	2	17	2	2	2	4	1	0	1	1	QFN 48
APM32F072CBT6	48	128	16	0	0	37	2	3.6	5	1	1	2	1	1	1	1	10	1	2	2	17	2	2	2	4	1	0	1	1	LQFP 48
APM32F072C8T6	48	64	16	0	0	37	2	3.6	5	1	1	2	1	1	1	1	10	1	2	2	17	2	2	2	4	1	0	1	1	LQFP 48
APM32F071V8T6	48	64	16	0	0	87	2	3.6	5	1	1	2	1	1	1	1	16	1	2	2	24	2	2	2	4	0	0	0	1	LQFP 100
APM32F071CBU6	48	128	16	0	0	37	2	3.6	5	1	1	2	1	1	1	1	10	1	2	2	17	2	2	2	4	0	0	0	1	QFN 48
APM32F071CBT6	48	128	16	0	0	37	2	3.6	5	1	1	2	1	1	1	1	10	1	2	2	17	2	2	2	4	0	0	0	1	LQFP 48
APM32F070RBT6	48	128	16	0	0	51	2.4	3.6	5	0	1	2	1	1	1	1	16	0	0	0	0	2	0	2	4	0	0	1	0	LQFP 64
APM32F070CBT6	48	128	16	0	0	37	2.4	3.6	5	0	1	2	1	1	1	1	10	0	0	0	0	2	0	2	4	0	0	1	0	LQFP 48
APM32F051K6T6	48	32	8	0	0	25	2	3.6	5	1	1	1	1	1	1	1	10	1	1	2	18	1	1	1	2	0	0	0	1	LQFP32
APM32F051K6U6	48	32	8	0	0	27	2	3.6	5	1	1	1	1	1	1	1	10	1	1	2	18	1	1	1	2	0	0	0	1	QFN32
APM32F051K8T6	48	64	8	0	0	25	2	3.6	5	1	1	1	1	1	1	1	10	1	1	2	18	1	1	1	2	0	0	0	1	LQFP32
APM32F051K8U6	48	64	8	0	0	27	2	3.6	5	1	1	1	1	1	1	1	10	1	1	2	18	1	1	1	2	0	0	0	1	QFN32
APM32F051C6T6	48	32	8	0	0	39	2	3.6	5	1	1	1	1	1	1	1	10	1	1	2	18	1	1	1	2	0	0	0	1	LQFP48
APM32F051C6U6	48	32	8	0	0	39	2	3.6	5	1	1	1	1	1	1	1	10	1	1	2	18	1	1	1	2	0	0	0	1	QFN48
APM32F051C8T6	48	64	8	0	0	39	2	3.6	5	1	1	1	1	1	1	1	10	1	1	2	18	2	1	2	2	0	0	0	1	LQFP48
APM32F051C8U6	48	64	8	0	0	39	2	3.6	5	1	1	1	1	1	1	1	10	1	1	2	18	2	1	2	2	0	0	0	1	QFN48
APM32F051R6T6	48	32	8	0	0	55	2	3.6	5	1	1	1	1	1	1	1	16	1	1	2	18	2	1	2	2	0	0	0	1	LQFP64
APM32F051R8T6	48	64	8	0	0	55	2	3.6	5	1	1	1	1	1	1	1	16	1	1	2	18	2	1	2	2	0	0	0	1	LQFP64
APM32F030K6T6	48	32	4	0	0	26	2	3.6	4	0	1	0	1	1	1	1	10	0	0	0	0	1	0	1	1	0	0	0	0	LQFP 32
APM32F030K6T7	48	32	4	0	0	26	2	3.6	4	0	1	0	1	1	1	1	10	0	0	0	0	1	0	1	1	0	0	0	0	LQFP 32
APM32F030K6U6	48	32	4	0	0	26	2	3.6	4	0	1	0	1	1	1	1	10	0	0	0	0	1	0	1	1	0	0	0	0	QFN 32
APM32F030K8T6	48	64	8	0	0	26	2	3.6	4	0	1	0	1	1	1	1	10	0	0	0	0	1	0	1	1	0	0	0	0	LQFP 32
APM32F030C6T6	48	32	4	0	0	39	2	3.6	4	0	1	0	1	1	1	1	10	0	0	0	0	1	0	1	1	0	0	0	0	LQFP 48
APM32F030C8T6	48	64	8	0	0	39	2	3.6	5	0	1	1	1	1	1	1	10	0	0	0	0	2	0	2	2	0	0	0	0	LQFP 48
APM32F030R8T6	48	64	8	0	0	55	2	3.6	5	0	1	1	1	1	1	1	16	0	0	0	0	2	0	2	2	0	0	0	0	LQFP 64
APM32F030CCT6	48	256	32	0	0	37	2	3.6	5	0	1	2	1	1	1	1	10	0	0	0	0	2	0	2	6	0	0	0	0	LQFP 48
APM32F030RCT6	48	256	32	0	0	51	2	3.6	5	0	1	2	1	1	1	1	16	0	0	0	0	2	0	2	6	0	0	0	0	LQFP 64
APM32F003F4P6	48	16	2	0	0	16	2	5.5	1	0	2	1	1	1	0	1	8	0	0	0	0	1	0	1	3	0	0	0	0	TSSOP 20
APM32F003F6P6	48	32	4	0	0	16	2	5.5	1	0	2	1	1	1	0	1	8	0	0	0	0	1	0	1	3	0	0	0	0	TSSOP 20
APM32F003F4U6	48	16	2	0	0	16	2	5.5	1	0	2	1	1	1	0	1	8	0	0	0	0	1	0	1	3	0	0	0	0	QFN 20
APM32F003F6U6	48	32	4	0	0	16	2	5.5	1	0	2	1	1	1	0	1	8	0	0	0	0	1	0	1	3	0	0	0	0	QFN 20
APM32F003F4M6	48	16	2	0	0	16	2	5.5	1	0	2	1	1	1	0	1	8	0	0	0	0	1	0	1	3	0	0	0	0	SOP 20
APM32F003F6M6	48	32	4	0	0	16	2	5.5	1	0	2	1	1	1	0	1	8	0	0	0	0	1	0	1	3	0	0	0	0	SOP 20
APM32F003F6P7	48	32	4	0	0	16	2	5.5	1	0	2	1	1	1	0	1	8	0	0	0	0	1	0	1	3	0	0	0	0	TSSOP20
APM32F003F6U7	48	32	4	0	0	16	2	5.5	1	0	2	1	1	1	0	1	8	0	0	0	0	1	0	1	3	0	0	0	0	QFN20

APM32系列MCU-ARM® Cortex® - M3

Part No.	Frequency (MHz)	FLASH (KB)	RAM (KB)	EMMC (SDRAM)	FPU	I/Os	V _{in} (V)	V _{max} (V)	Timer							Analog Interface					Connectivity						Package				
									GPWMR (16-bit)	GPWMR (32-bit)	Advanced PWM (16-bit)	Basic TMR (16-bit)	Systick (24-bit)	WDG	WWDG	RTC	ADC 12-bit Cell	ADC 12-bit channels	DAC 12-bit Cell	DAC 12-bit channels	Analog Comparator	TSC (Channels)	SPI	I ² S	I ² C	USART		CAN	SDIO	USB	CEC
APM32F103T4U6	96	16	6	0	1	26	2	3.6	3	0	1	0	1	1	1	1	2	10	0	0	0	0	1	0	1	2	1	0	1	0	QFN36
APM32F103T6U6	96	32	10	0	1	26	2	3.6	3	0	1	0	1	1	1	1	2	10	0	0	0	0	1	0	1	2	1	0	1	0	QFN36
APM32F103T8U6	96	64	20	0	1	26	2	3.6	3	0	1	0	1	1	1	1	2	10	0	0	0	0	1	0	1	2	1	0	1	0	QFN36
APM32F103TBU6	96	128	20	0	1	26	2	3.6	3	0	1	0	1	1	1	1	2	10	0	0	0	0	1	0	1	2	1	0	1	0	QFN36
APM32F103C4T6	96	16	6	0	1	37	2	3.6	3	0	1	0	1	1	1	1	2	10	0	0	0	0	1	0	1	2	1	0	1	0	LQFP48
APM32F103C6T6	96	32	10	0	1	37	2	3.6	3	0	1	0	1	1	1	1	2	10	0	0	0	0	1	0	1	2	1	0	1	0	LQFP48
APM32F103C8T6	96	64	20	0	1	37	2	3.6	3	0	1	0	1	1	1	1	2	10	0	0	0	0	2	0	2	3	1	0	1	0	LQFP48
APM32F103CBT6	96	128	20	0	1	37	2	3.6	3	0	1	0	1	1	1	1	2	10	0	0	0	0	2	0	2	3	1	0	1	0	LQFP48
APM32F103R4T6	96	16	6	0	1	51	2	3.6	3	0	1	0	1	1	1	1	2	16	0	0	0	0	1	0	1	2	1	0	1	0	LQFP64
APM32F103R6T6	96	32	10	0	1	51	2	3.6	3	0	1	0	1	1	1	1	2	16	0	0	0	0	1	0	1	2	1	0	1	0	LQFP64
APM32F103R8T6	96	64	20	0	1	51	2	3.6	3	0	1	0	1	1	1	1	2	16	0	0	0	0	2	0	2	3	1	0	1	0	LQFP64
APM32F103RBT6	96	128	20	0	1	51	2	3.6	3	0	1	0	1	1	1	1	2	16	0	0	0	0	2	0	2	3	1	0	1	0	LQFP64
APM32F103V8T6	96	64	20	0	1	80	2	3.6	3	0	1	0	1	1	1	1	2	16	0	0	0	0	2	0	2	3	1	0	1	0	LQFP100
APM32F103VBT6	96	128	20	0	1	80	2	3.6	3	0	1	0	1	1	1	1	2	16	0	0	0	0	2	0	2	3	1	0	1	0	LQFP100
APM32F103CCT6	96	256	64	0	0	37	2	3.6	4	0	1	2	1	1	1	1	2	10	2	2	0	0	3	2	2	3	2	0	1	0	LQFP48
APM32F103RCT6	96	256	64	0	0	51	2	3.6	4	0	1	2	1	1	1	1	3	16	2	2	0	0	3	2	2	3+2	2	1	1	0	LQFP64
APM32F103VCT6	96	256	64	1	0	80	2	3.6	4	0	2	2	1	1	1	1	3	16	2	2	0	0	3	2	2	3+2	2	1	1	0	LQFP100
APM32F103RDT6	96	384	64	0	1	51	2	3.6	4	0	2	2	1	1	1	1	3	16	2	2	0	0	3	2	2	3+2	1	1	1	0	LQFP64
APM32F103RET6	96	512	128	0	1	51	2	3.6	4	0	2	2	1	1	1	1	3	16	2	2	0	0	3	2	2	3+2	1	1	1	0	LQFP64
APM32F103VDT6	96	384	64	0	1	80	2	3.6	4	0	2	2	1	1	1	1	3	16	2	2	0	0	3	2	2	3+2	1	1	1	0	LQFP100
APM32F103VET6	96	512	128	0	1	80	2	3.6	4	0	2	2	1	1	1	1	3	16	2	2	0	0	3	2	2	3+2	1	1	1	0	LQFP100
APM32F103VET7	96	512	128	0	1	80	2	3.6	4	0	2	2	1	1	1	1	3	16	2	2	0	0	3	2	2	3+2	1	1	1	0	LQFP100
APM32F103ZDT6	96	384	64	1	1	112	2	3.6	4	0	2	2	1	1	1	1	3	21	2	2	0	0	3	2	2	3+2	1	1	1	0	LQFP144
APM32F103ZET6	96	512	128	1	1	112	2	3.6	4	0	2	2	1	1	1	1	3	21	2	2	0	0	3	2	2	3+2	1	1	1	0	LQFP144
APM32F102C4T6	48	16	6	0	1	37	2	3.6	3	0	1	0	1	1	1	1	2	10	0	0	0	0	2	0	2	3	0	0	1	0	LQFP48
APM32F102C6T6	48	32	10	0	1	37	2	3.6	3	0	1	0	1	1	1	1	2	10	0	0	0	0	2	0	2	3	0	0	1	0	LQFP48
APM32F102C8T6	48	64	20	0	1	37	2	3.6	3	0	1	0	1	1	1	1	2	10	0	0	0	0	2	0	2	3	0	0	1	0	LQFP48
APM32F102CBT6	48	128	20	0	1	37	2	3.6	3	0	1	0	1	1	1	1	2	10	0	0	0	0	2	0	2	3	0	0	1	0	LQFP48
APM32F102R4T6	48	16	6	0	1	51	2	3.6	3	0	1	0	1	1	1	1	2	16	0	0	0	0	2	0	2	3	0	0	1	0	LQFP64
APM32F102R6T6	48	32	10	0	1	51	2	3.6	3	0	1	0	1	1	1	1	2	16	0	0	0	0	2	0	2	3	0	0	1	0	LQFP64
APM32F102R8T6	48	64	20	0	1	51	2	3.6	3	0	1	0	1	1	1	1	2	16	0	0	0	0	2	0	2	3	0	0	1	0	LQFP64
APM32F102RBT6	48	128	20	0	1	51	2	3.6	3	0	1	0	1	1	1	1	2	16	0	0	0	0	2	0	2	3	0	0	1	0	LQFP64
APM32F101T4U6	36	16	6	0	1	26	2	3.6	3	0	1	0	1	1	1	1	2	10	0	0	0	0	1	0	1	2	0	0	0	0	QFN36
APM32F101T6U6	36	32	10	0	1	26	2	3.6	3	0	1	0	1	1	1	1	2	10	0	0	0	0	1	0	1	2	0	0	0	0	QFN36
APM32F101T8U6	36	64	20	0	1	26	2	3.6	3	0	1	0	1	1	1	1	2	10	0	0	0	0	1	0	1	2	0	0	0	0	QFN36
APM32F101TBU6	36	128	20	0	1	26	2	3.6	3	0	1	0	1	1	1	1	2	10	0	0	0	0	1	0	1	2	0	0	0	0	QFN36
APM32F101C4T6	36	16	6	0	1	37	2	3.6	3	0	1	0	1	1	1	1	2	10	0	0	0	0	2	0	2	3	0	0	0	0	LQFP48
APM32F101C6T6	36	32	10	0	1	37	2	3.6	3	0	1	0	1	1	1	1	2	10	0	0	0	0	2	0	2	3	0	0	0	0	LQFP48
APM32F101C8T6	36	64	20	0	1	37	2	3.6	3	0	1	0	1	1	1	1	2	10	0	0	0	0	2	0	2	3	0	0	0	0	LQFP48
APM32F101CBT6	36	128	20	0	1	37	2	3.6	3	0	1	0	1	1	1	1	2	10	0	0	0	0	2	0	2	3	0	0	0	0	LQFP48
APM32F101R4T6	36	16	6	0	1	51	2	3.6	3	0	1	0	1	1	1	1	2	10	0	0	0	0	2	0	2	3	0	0	0	0	LQFP64
APM32F101R6T6	36	32	10	0	1	51	2	3.6	3	0	1	0	1	1	1	1	2	10	0	0	0	0	2	0	2	3	0	0	0	0	LQFP64
APM32F101R8T6	36	64	20	0	1	51	2	3.6	3	0	1	0	1	1	1	1	2	10	0	0	0	0	2	0	2	3	0	0	0	0	LQFP64
APM32F101RBT6	36	128	20	0	1	51	2	3.6	3	0	1	0	1	1	1	1	2	10	0	0	0	0	2	0	2	3	0	0	0	0	LQFP64
APM32F101V8T6	36	64	20	0	1	80	2	3.6	3	0	1	0	1	1	1	1	2	10	0	0	0	0	2	0	2	3	0	0	0	0	LQFP100
APM32F101VBT6	36	128	20	0	1	80	2	3.6	3	0	1	0	1	1	1	1	2	10	0	0	0	0	2	0	2	3	0	0	0	0	LQFP100
APM32F101RCT6	36	256	32	0	1	51	2	3.6	4	0	2	2	1	1	1	1	1	16	2	2	0	0	3	0	2	3+2	0	0	0	0	LQFP64
APM32F101RDT6	36	384	48	0	1	51	2	3.6	4	0	2	2	1	1	1	1	1	16	2	2	0	0	3	0	2	3+2	0	0	0	0	LQFP64
APM32F101RET6	36	512	48	0	1	51	2	3.6	4	0	2	2	1	1	1	1	1	16	2	2	0	0	3	0	2	3+2	0	0	0	0	LQFP64
APM32F101VCT6	36	256	32	0	1	80	2	3.6	4	0	2	2	1	1	1	1	1	16	2	2	0	0	3	0	2	3+2	0	0	0	0	LQFP100

APM32系列MCU-ARM® Cortex® - M3

Part No.	Frequency (MHz)	FLASH (KB)	RAM (KB)	EMMC (SDRAM)	FPU	I/Os	Vmin (V)	Vmax (V)	Timer							Analog Interface					Connectivity					Package					
									GP TMR (16-bit)	GP TMR (32-bit)	Advanced TMR (16-bit)	Basic TM (16-bit)	Systick (24-bit)	WWDG	WWDG	RTC	ADC 12-bit Cell	ADC 12-bit channels	DAC 12-bit Cell	DAC 12-bit channels	Analog Comparator	TSC (Channels)	SPI	I ² S	I ² C		U(S)ART	CAN	SDIO	USB	CEC
APM32F101VDT6	36	384	48	0	1	80	2	3.6	4	0	2	2	1	1	1	1	1	16	2	2	0	0	3	0	2	3+2	0	0	0	0	LQFP100
APM32F101VET6	36	512	48	0	1	80	2	3.6	4	0	2	2	1	1	1	1	16	2	2	0	0	3	0	2	3+2	0	0	0	0	LQFP100	
APM32F101ZCT6	36	256	32	1	1	112	2	3.6	4	0	2	2	1	1	1	1	16	2	2	0	0	3	0	2	3+2	0	0	0	0	LQFP144	
APM32F101ZDT6	36	384	48	1	1	112	2	3.6	4	0	2	2	1	1	1	1	16	2	2	0	0	3	0	2	3+2	0	0	0	0	LQFP144	
APM32F101ZET6	36	512	48	1	1	112	2	3.6	4	0	2	2	1	1	1	1	16	2	2	0	0	3	0	2	3+2	0	0	0	0	LQFP144	

GW88系列蓝牙芯片——BLE4.2

Part No.	Frequency (MHz)	FLASH (KB)	Data RAM (KB)	I/Os	Vmin (V)	Vmax (V)	Max TX Power (dBm)	FX Sensitivity (dBm)	TX Current (mA@0dBm)	RX Current (mA@0dBm)	Sleep Mode Current (µA)	Deep Sleep Mode Current (µA)	Operating Temperature (°C, T)	Timer			Analog Interface		Connectivity							Package			
														Low Speed TMR(32bit)	High Speed TMR(6bit)	WDT(6bit)	RTC	GPADC 10bit Cell	GPADC 10bit channels	SPI(master)	I2C(master)	U(S)ART	PWM	Quadrature Decoder	ISO7816		Infrared emitting & receiving	Infrared emitting & receiving	Keypad decoder (rows & columns)
GW8811KEU6	64	512	24	21	1.8	3.6	+4	-94	4.8	2.8	2.7	1	-40~+85	4	1	1	1	1	4+1	2	2	2	6	Yes	Yes	Yes	8*20	128bit	QFN32
GW8811CEU6	64	512	32	32	1.8	3.6	+4	-94	4.8	2.8	2.7	1	-40~+85	4	1	1	1	1	8+1	2	2	2	6	Yes	Yes	Yes	8*20	128bit	QFN48

型号指南

AP/G	M	32	F	103	T	4	T	6
Brand Geehy	M:MCU W:Wireless	Family 32:32 bit 88:BLE Soc	F Product type A Auto grade E Enhanced F Foundation L Ultra-low-power S Standard T Touch sensing W Wireless	Specific features (3 digits) 030 Entry-level 103 Foundation 407 High-performance and DSP with FPU L072 Ultra-low-power	Pin count (pins) D 14 Y 20 F 20 E 24&25 G 28 K 32 T 36 H 40 S 44 C 48&49 U 63 R 64&66 J 72 M 80 O 90 V 100 Q 132 Z 144	Code size (Kbytes) 0 1 1 2 2 4 3 8 4 16&8 5 24 6 32 7 48 8 64 9 72 A 96 or 128* B 128 Z 192 C 256 D 384 E 512 F 768 G 1024	Packaging B Plastic DIP* D Ceramic DIP* G Ceramic QFP H LFBGA/TFBGA I UFBGA Pitch 0.5** J UFBGA Pitch 0.8** k UFBGA Pitch 0.65** M Plastic S0 P TSSOP Q Plastic QFP T QFP U QFN Y WLCSP	Temperature range 6 and A -40 to +85°C 7 and B -40 to +105°C 3 and C -40 to +125°C D -40 to +150°C
			22 Specific features 11 BLE 4.2 22 BLE 5.1		Auto grade 8 48 9 64 A 80			



珠海极海半导体有限公司
GEEHY SEMICONDUCTOR CO.,LTD.

☎0756 6299999

✉info@geehy.com

🌐www.geehy.com

深圳办事处 0755 26923525

上海办事处 021 64015639

广州办事处 020 22281379

Copyright© Geehy Semiconductor Co.,Ltd- April. 2021. The information contained herein is subject to change without notice. Geehy shall not be liable for technical or editorial errors or omissions contained herein. Photographed products may not always match the description. All brand names & trademarks are the properties of their respective holders and used for descriptive purposes only.



极海微信公众号
Geehy Wechat

选型表&型号指南

32位APM32工业级通用MCU GW88系列低功耗蓝牙芯片

基于ARM® Cortex® M0+/M3/M4+国产平头哥玄铁CPU

